




PUNZONI WS-HWS-HSS

ELEMENTI NORMALIZZATI

PUNZONI WOLFRAMIO (WS) CROMO (HWS) E HSS



d	PUNZONI DIN 9861				ESTRATTORI DIN 1530		
	LUNGHEZZA						
L=	71	80	100	125	160	200	250*
0,5 - 0,9	*	*	*				
1,0 - 1,9	*	*	*	*	*	*	
2,0 - 3,0	*	*	*	*	*	*	*
3,1 - 4,0	*	*	*	*	*	*	*
4,1 - 5,0	*	*	*	*	*	*	*
5,1 - 6,0	*	*	*	*	*	*	*
6,1 - 7,0	*	*	*	*	*	*	*
7,1 - 8,0	*	*	*	*	*	*	*
8,1 - 9,0	*	*	*	*	*	*	*
9,1 - 10	*	*	*	*	*	*	*
10,1 - 11	*	*	*	*	*	*	*
11,1 - 12	*	*	*	*	*	*	*
12,1 - 12,4	*	*	*	*	*	*	*
12,5 - 13	*	*	*	*	*	*	*
13,5 - 14	*	*	*	*	*	*	*
14,5 - 15	*	*	*	*	*	*	*
15,5 - 16	*	*	*	*	*	*	*
16,5 - 17	*	*	*	*	*	*	*
17,5 - 18	*	*	*	*	*	*	*
18,5 - 19	*	*	*	*	*	*	*
19,5 - 20	*	*	*	*	*	*	*

*Per la lunghezza 250 mm disponibili solo misure piene e mezze.

**HWS e HSS fino a L= 160



www.eleenorm.com